

Based on your survey responses Enterra Therapy might be right for you!

Enterra® Therapy Discussion Guide

This guide will help you start a conversation with your provider about your experiences with chronic nausea and vomiting due to gastroparesis and treatment options, including Enterra Therapy.*




"I have my life back...
even more so than
I could have ever
imagined."

Mary, Enterra Therapy Recipient

Mary's experience is unique to her and individual results may vary.





What is gastroparesis?

Gastroparesis is a medical condition that causes food to digest more slowly than normal.

In a healthy digestive system, strong muscular contractions move food from the stomach through the digestive tract. But with gastroparesis, the stomach does not empty properly.

Gastroparesis has several causes, including type 1 and type 2 diabetes, post surgical complications and other causes, but in many cases, the cause is unknown (idiopathic).

What is Enterra® Therapy?

Enterra Therapy is the first and only implantable device designed to help relieve the nausea and vomiting associated with gastroparesis through a unique kind of therapy called Gastric Electrical Stimulation (GES).

Unlike other surgical treatment options, Enterra Therapy is:



Minimally invasive

The Enterra neurostimulator is placed just beneath the skin, usually in the lower abdominal region



Customizable

Your doctor will non-invasively adjust your system to help find the level of stimulation that's right for you



Reversible

If Enterra Therapy needs to be paused or isn't right for you, your doctor can turn off or remove your system

Enterra Therapy eligibility

Based on your responses to the

Enterra Therapy eligibility survey you:



have gastroparesis due to diabetes or an unknown (idiopathic) cause



experience nausea and/or vomiting that is not helped with medications



are 18-70 years old

To see how Enterra Therapy
works, visit
www.enterramedical.com/
introduction-to-enterra-therapy

Next Steps

Fill out this discussion guide and bring it to your next appointment.

- 1
- **Schedule an appointment with your gastroenterologist** to discuss Enterra Therapy and your concerns with chronic nausea and vomiting due to gastroparesis. They will determine appropriate screening tools and diagnostic tests for you.
- Connect with a provider who implants and/or manages Enterra Therapy patients to discuss treatment options and associated risks. If you are unsure of providers near you, visit www.enterramedical.com/find-a-provider. Not sure where to start or which type of provider to see? Call us at 1-855-768-3772. Enterra Medical Patient Liaisons are here to answer your questions and help you find a provider near you.
- Prepare for your appointments by filling out this discussion guide to track your symptoms and capture any questions you have for your provider.

Preparing for your Appointment

Nausea and vomiting symptom diary

My Next Appointment: _	///
------------------------	-----

Track your symptoms in the diary below according to your provider's recommendations. If you had no episodes on a given day, record that as well. Please record the number of hours of nausea during each day, and the number of vomiting episodes each day. Talk with your provider if you have questions about completing this diary.

Nausea and Vomiting					
Date	Time	Severity of Nausea 0-4 (4 is high)	Vomiting Episode		
Monday	10:10(AM)PM	4	✓		
	AM/PM				

Nausea and Vomiting					
Date	Time	Severity of Nausea 0–4 (4 is high)	Vomiting Episode		
Monday	10:10(AM)PM	4	✓		
	AM/PM				

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Total number of vomiting episodes							
Total number of nausea hours							

At the Appointment

What questions might you have for your provider?
Write them down and keep track of how your provider answers.

Q:			
A:			
Q:			
Α			
· · ·			
O			
.			
Δ.			
Λ			
O· —			
Q			
۸٠			
Α			
O:			
A			
_			
Q :			
A:			

If you and your provider decide that Enterra Therapy is right for you, you may be referred to a center in your area.

Scan the QR code to find a provider who specializes in Enterra Therapy





people have received

Enterra Therapy to help resume everyday activities, like taking their seat back at the table.

To see how Enterra Therapy works, scan the QR code or visit

www.enterramedical.com/introduction-to-enterra-therapy





Patient Referral Form for Enterra® Therapy

Patient Name:
DOB:/
Phone:
Primary Care Provider:
Insurance (Primary):
(Secondary):
Plan ID:

• •	(Secondary):				
	Plan ID:				
Patient between 18-70 years of age:					
 Gastroparesis caused by diabetic or unknown original medication nausea and vomiting 	in with chronic, resistant to				
Etiology ☐ Is the patient Diabetic? ☐ Type 1 or ☐ Type 2 HbA1c: Duration ☐ Does the patient have gastroparesis of unknown origin? ☐ Other:					
Symptoms					
Symptoms (Start Date/Severity): Nausea:/out of 10 Vomiti	ing:/ times per week				
Early Satiety:/ out of 10 Bloating:/ out of 10	Abdominal Pain:/out of 10				
Weight Gain/Loss History (Date/Weight):////	_				
Quality of Life (date/score): GCSI:/ Other:/					
Hospitalizations How many hospitalizations has the patient had in the	past year due to gastroparesis?				
Episodes of admission/# of days:/	, , , , , , , , , , , , , , , , , , , ,				
,					
☐ Difficulty managing symptoms after failed frontline	therapies (diet and medications)				
Failed Diet and Frontline Therapy History Dietary Modification:					
Supplemental Nutrition: 🗌 Oral Supplement 👚 NJ Tube 👚 GJ Tu	be □JTube □TPN				
Medications:					
Medication Tried and Failed:					
☐ Metoclopramide ☐ Erythromycin ☐ Domperidone ☐ Other:					
Current Medical Regimen:					
Previous diagnostic studies such as gastric emptying been conducted and results attached Diagnostics Gastric Emptying Study Results (Off Prokinetics for 3 Days): % Retention 2 Date of Endoscopy: Results:	2 hrs: 4 hrs:				
☐ I recommend this patient for an Enterra System gastric electrical stimulati	ion therapy consultation				
Physician Name: Date	e:				
Phone: Email:					

Learn more about Enterra Therapy at www.enterramedical.com

Enterra Medical is dedicated to helping more people with chronic gastroparesis live better lives through advancing technology, bolstering clinical science, and accelerating patient access to Enterra Therapy.

The information provided in this brochure is for general educational purposes only and is not a substitute for professional medical advice, diagnosis or treatment.

Always talk to your doctor about the best treatment options for your individual situation.

Important Safety Information

Intended Use: The Enterra® Therapy System is an implanted device that provides gastric stimulation to treat chronic, intractable, nausea and vomiting that is not well treated by drugs or other means in patients aged 18 to 70 years caused by diabetes or an unknown origin.

Contraindications: Enterra Therapy is only for patients who are healthy enough for surgical procedures and/or anesthesia. Once implanted, patients need to avoid diathermy, which is deep heat treatment from electromagnetic energy, as it may cause injury or device failure.

Warnings: Enterra Therapy has not been studied in pregnant women, patients under the age of 18, or over 70. Issues may occur if the system interacts with other implanted devices such as pacemakers. Patient injury or device failure may be caused by other medical treatments such as electrocautery, defibrillation/cardioversion, therapeutic ultrasound, or radiofrequency (RF)/microwave ablation. Patient activities may cause shocking or jolting sensations.



The Enterra II System is MR Conditional. This means that patients with the Enterra II System can safely have MRI examinations of some body parts under certain conditions. Consult your doctor to determine if you are eligible for MRI examination.

Risks: Potential risks include infection, pain at the surgery site, allergic or immune system response, lead and bowel twist together, device wearing through the skin, bruising, bleeding, loss of therapeutic effect, jolting, shocking, burning sensation, gastrointestinal or stomach issues, loss of therapy due to component failure or battery wear out, or perforated stomach which may cause life-threatening blockage or infections that require immediate medical attention including surgery. Risks can be minimized by avoiding activities such as sudden, excessive, or repetitive bending, twisting, bouncing, or stretching.

Humanitarian Device: Authorized by Federal law for the intended use described above. The effectiveness of this device has not been demonstrated.

Always discuss potential risks and benefits of the device with your physician. For further information, please contact Enterra Medical at info@enterramedical.com. Rx Only.

www.enterramedical.com

