Enterra™ Therapy Ordering Guide





Ordering Information

OPTIONS TO PLACE AN ORDER

1) Email:

Send an e-mail with the information on the next page to: enterra-us@healthlinkeurope.com.

2) Phone:

Enterra Medical Customer Service: Toll-Free: 1-855-768-3772 Fax: 800-325-2403

Customer Service representatives are on duty to take your order between 8:00 a.m. and 5:00 p.m. Central Time. For faster service when calling, please have your account number available. An e-mail confirmation of the phone order will be required to complete the ordering process.

PAYMENT TERMS

Net 30 days from date of invoice. Prices are subject to change without notice. To gain more information on payment options, call **Enterra Medical Customer Service Toll Free**: 1-855-768-3772.

VENDOR MASTER SET-UP

Ensure Enterra Medical is the vendor for these products.

Order Distribution:	ACH/Wire Transfer: (Preferred payment method)	Remit to address:
Enterra Medical Inc. p/a HealthLink	Silicon Valley Bank	Enterra Medical
International Inc.	AR Phone: 612-404-1549	5353 Wayzata Blvd, Suite 400
4049 Willow Lake Blvd, Suite 100	AR Fax: 866-504-3214	St. Louis Park, MN 55416
Memphis, TN 38118	Account# 3303693100	
Email: enterra-us@healthlinkeurope.com	Routing: 121140399	
	A/R Email: accounting@enterramedical.com	
	Please reference invoice number	

SHIPPING

Implantable neurostimulation systems are shipped Freight on Board (FOB) shipping point. Freight will be billed with invoice unless customer shipping account is provided for charges. Please allow five (5) days for delivery. Vendor absorbs all freight costs for returns.

CREDIT AND RETURNS

Full credit will be given for unopened, undamaged, and unmarked packages returned within 90 days from date of invoice. No credit will be given for packages returned after 90 days from date of invoice or for packages that have been opened, damaged or marked. Please call Enterra Medical Customer Service for a Return Material Authorization (RMA) number prior to returning the product. Be sure the RMA# is visible on the outside of the package. Return instructions will be provided when the RMA# is assigned.

WARNING

The products described in this price list are intended for use only with Enterra components. The use of other components with these products may result in damage or risk to the patient.


Enterra Therapy

PLEASE READ BEFORE ORDERING

When ordering, please consider all the components needed for a complete system for each patient procedure. Refer to specific model numbers in this catalog when placing your order.

Enterra Therapy for chronic nausea and vomiting due to gastroparesis

IMPLANTABLE SYSTEM



SYSTEM COMPONENTS

Neurostimulator

Model	Description		Price (\$)
37800	Enterra II Neurostimulator Neurostimulator for use with lead Model 4351-35.		10,000
		onsterile Content: erature	

Lead

Model	Description		Price (\$)
4351-35	Lead Kit		2,500
	Sterile Content: (1) Unipolar Intramuscular Lead Fixed 10 mm Electrode (4) Fixation Disks (1) Tunneling Rod (2) Lead End Caps	Nonsterile Content: Literature	

Order Form

PO#:

Date Submitted:

Email orders: enterra-us@healthlinkeurope.com

	Ship To:		Bill To: (if different)		
Account ID					
Account Name					
Contact Name					
Address 1					
Address 2					
Address 3					
City, State, Zip					
Phone					
Fax					
Email					
Accounts Payable Email					
Tax Exempt? Y/N	☐ Yes ☐ No				
Ship Via	Standard Overnight Other	Priority Overnight	2Day 🗌 3Day 🔲 Gro	ound	
Sales rep:					
Product Code	Description	F	Price	QTY	
37800	Neurostimulant IPG	\$10,000			
4351-35	Unipolar Lead	\$2,500			
Notes/Comments/Special Instructions					

Important Safety Information

Enterra Therapy for treatment of chronic, resistant to medication nausea and vomiting associated with gastroparesis caused by diabetes or an unknown origin in patients aged 18 to 70 years: patients should always discuss potential risks and benefits of the device with their physician.

Indications for Use: The Enterra Therapy System for gastric electrical stimulation is indicated for use in the treatment of chronic, intractable (drug refractory) nausea and vomiting associated with gastroparesis caused by diabetes or an unknown origin in patients aged 18 to 70 years.

Contraindications: The Enterra Therapy System is not intended for patients whom the physician determines are not candidates for surgical procedures and/or anesthesia due to physical or mental health conditions. You cannot have diathermy (deep heat treatment from electromagnetic energy) if you have an Enterra device. Patients with Enterra should not have magnetic resonance imaging (MRI).

Warnings/Precautions/Adverse Events: This system has not been evaluated for pregnant women, for use in patients under the age of 18, or patients over the age of 70. The system may be affected by or adversely affect cardiac devices. Strong sources of electromagnetic interference (EMI) such as from electrocautery, defibrillation/ cardioversion, therapeutic ultrasound, radiofrequency (RF)/microwave ablation, or MRI, can result in serious injury, system damage, or operational changes to the system. EMI, postural changes, or other activities may cause shocking or jolting sensations. Patients on anticoagulation therapy may be at a greater risk for post-operative complications. The use of non-Medtronic components with this system may result in damage to Medtronic components, loss of therapy, or patient injury. There is the possibility of an allergic or immune system response to the implanted materials. When possible, a physician is to identify and treat any infections prior to surgery. Infections at the implant site almost always require the surgical removal of the implanted system. The lead can become entangled with the bowel or perforate your stomach and cause life-threatening blockage or infections that require immediate medical attention and may require surgery. Patients should avoid activities that may put undue stress on the implanted system components (activities that include sudden, excessive, or repetitive bending, twisting, bouncing, or stretching that can cause component fracture or dislodgement). Adverse events related to the therapy, device, or procedure can include: infection, pain at the surgery site, device components may wear through the skin, bruising at the neurostimulator site, bleeding, loss of therapeutic effect, undesirable change in stimulation (described as a jolting, shocking, or burning sensation), gastrointestinal symptoms and gastrointestinal complications (in that the lead may perforate your stomach or device components may become entangled with or obstruct other internal organs, requirin

Humanitarian Device: Authorized by Federal law for use in the treatment of chronic intractable (drug refractory) nausea and vomiting secondary to gastroparesis of diabetic or idiopathic etiology in patients aged 18 to 70 years. The effectiveness of this device for this use has not been demonstrated.

For further information, please contact Enterra Medical at info@enterramedical.com. USA Rx only.



